


RA 60

Cable tray branch, height=360 mm



The cable tray branch RA 60 allows the direction of cable routing to be changed horizontally in the form of a branch. It is inserted between two cable trays and enables the connection of another cable tray at right angles. The cable tray branch is suitable for cable trays with sides 60 mm high. We provide components in various materials and surface finishes to ensure that the corrosion requirements are met for all sorts of applications.

Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	L	G
RA 60-05S	60 mm	50 mm	114 mm	0,90 kg
Incl.: 3x KLR		Clamp fastening set		
RA 60-10S	60 mm	100 mm	214 mm	1,04 kg
Incl.: 3x KLR		Clamp fastening set		
RA 60-20S	60 mm	200 mm	314 mm	1,45 kg
Incl.: 3x KLR		Clamp fastening set		
RA 60-30S	60 mm	300 mm	414 mm	2,02 kg
Incl.: 3x KLR		Clamp fastening set		
RA 60-40S	60 mm	400 mm	514 mm	2,75 kg
Incl.: 3x KLR		Clamp fastening set		
RA 60-50S	60 mm	500 mm	614 mm	3,64 kg
Incl.: 3x KLR		Clamp fastening set		
RA 60-60S	60 mm	600 mm	714 mm	4,64 kg
Incl.: 3x KLR		Clamp fastening set		



Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	G
RA 60-05F	60 mm	50 mm	114 mm	1,01 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-10F	60 mm	100 mm	214 mm	1,16 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-20F	60 mm	200 mm	314 mm	1,62 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-30F	60 mm	300 mm	414 mm	2,26 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-40F	60 mm	400 mm	514 mm	3,08 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-50F	60 mm	500 mm	614 mm	4,08 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-60F	60 mm	600 mm	714 mm	5,24 kg
Incl.: 3x KLR E	Clamp fastening set			

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	G
RA 60-05E	60 mm	50 mm	114 mm	0,90 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-10E	60 mm	100 mm	214 mm	1,04 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-20E	60 mm	200 mm	314 mm	1,45 kg
Incl.: 3x KLR E	Clamp fastening set			





Product	H	B	L	G
RA 60-30E	60 mm	300 mm	414 mm	2,02 kg
Incl.: 3x KLR E				
Clamp fastening set				
RA 60-40E	60 mm	400 mm	514 mm	2,75 kg
Incl.: 3x KLR				
Clamp fastening set				
RA 60-50E	60 mm	500 mm	614 mm	3,64 kg
Incl.: 3x KLR E				
Clamp fastening set				
RA 60-60E	60 mm	600 mm	714 mm	4,64 kg
Incl.: 3x KLR E				
Clamp fastening set				

Stainless steel, material no. 1.4571 (ANSI 316 Ti) / 1.4404 (ANSI 316 L)

Product	H	B	L	G
RA 60-05E4	60 mm	50 mm	114 mm	0,90 kg
Incl.: 3x KLR E4				
Clamp fastening set				
RA 60-10E4	60 mm	100 mm	214 mm	1,04 kg
Incl.: 3x KLR E4				
Clamp fastening set				
RA 60-20E4	60 mm	200 mm	314 mm	1,45 kg
Incl.: 3x KLR E4				
Clamp fastening set				
RA 60-30E4	60 mm	300 mm	414 mm	2,02 kg
Incl.: 3x KLR E4				
Clamp fastening set				
RA 60-40E4	60 mm	400 mm	514 mm	2,75 kg
Incl.: 3x KLR E4				
Clamp fastening set				
RA 60-50SE4	60 mm	500 mm	614 mm	3,64 kg
Incl.: 3x KLR E4				
Clamp fastening set				
RA 60-60E4	60 mm	600 mm	714 mm	4,64 kg
Incl.: 3x KLR E4				
Clamp fastening set				




Coating Magnelis® according to DIN EN 10346

Product	H	B	L	G
RA 60-05ZM	60 mm	50 mm	114 mm	0,90 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-10ZM	60 mm	100 mm	214 mm	1,04 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-20ZM	60 mm	200 mm	314 mm	1,45 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-30ZM	60 mm	300 mm	414 mm	2,02 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-40ZM	60 mm	400 mm	514 mm	2,75 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-50ZM	60 mm	500 mm	614 mm	3,64 kg
Incl.: 3x KLR E	Clamp fastening set			
RA 60-60ZM	60 mm	600 mm	714 mm	4,64 kg
Incl.: 3x KLR E	Clamp fastening set			

H : Height
B : Width
L : Length
G : Weight

DETAILS / APPLICATIONS





OPTIONAL ACCESSORIES

RAD, RADR, VB, RTRV 60

