

WPKAB

End plate

End plate.

© EL-PUK Sp. z o.o. • MP • EN • 2021-06-17

Continously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	B	G
WPKAB 20S	195 mm	0,50 kg
Incl.:		
2x FKS 6x10 2x AM16 M6F	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 30S	295 mm	0,77 kg
Incl.:		
2x FKS 6x10 2x AM16 M6F	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 40S	395 mm	1,02 kg
Incl.:		
2x FKS 6x10 2x AM16 M6F	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 50S	495 mm	1,28 kg
Incl.:		
2x FKS 6x10 2x AM16 M6F	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 60S	595 mm	1,54 kg
Incl.:		
2x FKS 6x10 2x AM16 M6F	Slotted cylinder head screw, DIN 84 Channel nut, B7	

PUK Group GmbH & Co. KG
Nobelstraße 45-55 | 12057 Berlin
Telefon: +49 30 68283-01 | Fax: +49 30 68283-266 | info@puk.com | www.puk.com

EL-PUK Sp. z o.o.
ul. Kościelna 15 | 95-050 Konstantynów Łódzki
Telefon: +48 42 211 88 01 | Fax: +48 42 211 88 04 | marketing@elpuk.com.pl | www.elpuk.com.pl

Date of issuance: 2021-06-17. Errors and technical modifications reserved.

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	B	G
WPKAB 20F	195 mm	0,54 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 30F	295 mm	0,82 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 40F	395 mm	1,09 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 50F	495 mm	1,37 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 60F	595 mm	1,65 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	B	G
WPKAB 20E	195 mm	0,50 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 30E	295 mm	0,77 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 40E	395 mm	1,02 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	
WPKAB 50E	495 mm	1,28 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	

© EL-PUK Sp. z o.o. • MP • EN • 2021-06-17

PUK Group GmbH & Co. KG
Nobelstraße 45-55 | 12057 Berlin
Telefon: +49 30 68283-01 | Fax: +49 30 68283-266 | info@puk.com | www.puk.com


EL-PUK Sp. z o.o.
ul. Kościelna 15 | 95-050 Konstantynów Łódzki
Telefon: +48 42 211 88 01 | Fax: +48 42 211 88 04 | marketing@elpuk.com.pl | www.elpuk.com.pl

Date of issuance: 2021-06-17. Errors and technical modifications reserved.

Product	B	G
WPKAB 60E	595 mm	1,54 kg
Incl.:		
2x FKS 6x10E 2x AM16 M6E4	Slotted cylinder head screw, DIN 84 Channel nut, B7	

B : Width
W: Weight

DETAILS / APPLICATIONS



© EL-PUK Sp. z o.o. • MP • EN • 2021-06-17

PUK Group GmbH & Co. KG
Nobelstraße 45-55 | 12057 Berlin
Telefon: +49 30 68283-01 | Fax: +49 30 68283-266 | info@puk.com | www.puk.com

EL-PUK Sp. z o.o.
ul. Kościelna 15 | 95-050 Konstantynów Łódzki
Telefon: +48 42 211 88 01 | Fax: +48 42 211 88 04 | marketing@elpuk.com.pl | www.elpuk.com.pl

Date of issuance: 2021-06-17. Errors and technical modifications reserved.