


WPRKAB

Drop-out plate

Drop-out plate for wide-span cable trays.



Continuously hot galvanized (Senzimir process) (DIN EN 10346)

Product	H	B	L	R	t	G
WPRKAB 20S	129 mm	190 mm	110 mm	100 mm	1,50 mm	0,47 kg
Incl.: 2x FRSV 6x12 2x SEMS 6F						
			Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923			
WPRKAB 30S	129 mm	290 mm	110 mm	100 mm	1,50 mm	0,71 kg
Incl.: 2x FRSV 6x12 2x SEMS 6F						
			Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923			
WPRKAB 40S	129 mm	390 mm	110 mm	100 mm	1,50 mm	0,95 kg
Incl.: 2x FRSV 6x12 2x SEMS 6F						
			Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923			
WPRKAB 50S	129 mm	490 mm	110 mm	100 mm	1,50 mm	1,19 kg
Incl.: 3x FRSV 6x12 3x SEMS 6F						
			Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923			
WPRKAB 60S	129 mm	590 mm	110 mm	100 mm	1,50 mm	1,43 kg
Incl.: 3x FRSV 6x12 3x SEMS 6F						
			Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923			



Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	R	t	G
WPRKAB 20F	129 mm	190 mm	110 mm	100 mm	1,50 mm	0,52 kg
Incl.: 2x FRSV 6x12E 2x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						
WPRKAB 30F	129 mm	290 mm	110 mm	100 mm	1,50 mm	0,76 kg
Incl.: 2x FRSV 6x12E 2x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						
WPRKAB 40F	129 mm	390 mm	110 mm	100 mm	1,50 mm	1,01 kg
Incl.: 2x FRSV 6x12E 2x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						
WPRKAB 50F	129 mm	490 mm	110 mm	100 mm	1,50 mm	1,28 kg
Incl.: 3x FRSV 6x12E 3x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						
WPRKAB 60F	129 mm	590 mm	110 mm	100 mm	1,50 mm	1,53 kg
Incl.: 3x FRSV 6x12E 3x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	R	t	G
WPRKAB 20E	129 mm	190 mm	110 mm	100 mm	1,50 mm	0,48 kg
Incl.: 2x FRSV 6x12E 2x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						
WPRKAB 30E	129 mm	290 mm	110 mm	100 mm	1,50 mm	0,72 kg
Incl.: 2x FRSV 6x12E 2x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						
WPRKAB 40E	129 mm	390 mm	110 mm	100 mm	1,50 mm	0,97 kg
Incl.: 2x FRSV 6x12E 2x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						
WPRKAB 50E	129 mm	490 mm	110 mm	100 mm	1,50 mm	1,22 kg
Incl.: 3x FRSV 6x12E 3x SEMS 6E4 Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						







Product	H	B	L	R	t	G
WPRKAB 60F	129 mm	590 mm	110 mm	100 mm	1,50 mm	1,46 kg
Incl.: 3x FRSV 6x12E 3x SEMS 6E4						
Round-head screw with short square, DIN 603 Hexagon-nut with flange, DIN 6923, DIN 6923						

H : Height
B : Width
L : Length
R : Radius
t : Material thickness
G : Weight

© EL-PUK Sp. z o.o. • MP • EN • 2023-01-11

DETAILS / APPLICATIONS



OPTIONAL ACCESSORIES

